

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SCIENCE

FRIDAY, DECEMBER 7, 1917

CONTENTS

The Chemical Basis of Axial Polarity in Regeneration: Dr. Jacques Loeb	547
Comments on the Theories of the Structure of Matter: Drs. K. George Falk and J. M. Nelson	551
The Possibility of using Gravity Anomalies in the Search for Salt-dome Oil and Gas Pools: Eugene Wesley Shaw	55 3
Field Trip of the American Association of State Geologists: W. O. HOTCHKISS	556
Scientific Events:—	
The Late Dr. Richard Weil; Medical Inspection of Camp Wheeler; The Use of the McKay Bequest to Harvard University; Annual Meeting of the American Ornithologists' Union; General Announcement of the Permanent Secretary of the American Association for the Advancement of Science.	557
Scientific Notes and News	561
University and Educational News	564
Discussion and Correspondence:— Methods for preparing Animal Material to be dissected: Professor R. M. Strong	564
Scientific Books:—	
McClendon's Physical Chemistry of Vital Phenomena: Professor Ralph S. Lillie.	565
Proceedings of the National Academy of Sciences: Professor Edwin Bidwell Wilson.	567
Special Articles:—	
A Relation of Atomic Weights to Atomic Numbers and a Suggested Structure of Atomic Nuclei: Dr. John Q. Stewart. The Aerobic Culture of Anaerobes at Higher Temperatures: LILLIAN JORDAN ELLEFSON, IVAN C. HALL	568
The Boston Meeting of the American Chemical	571

MSS. intended for publication and books, etc., intended for review should be sent to The Editor of Science, Garrison-on-Hudson, N. Y.

THE CHEMICAL BASIS OF AXIAL POLARITY IN REGENERATION

1

When a piece of a stem is cut out from a plant one or more new shoots will usually arise at the apical, and roots at the basal end of the piece. This phenomenon of axial polarity was explained by the older botanists as being due to a flow of shoot-forming substances to the apex and of root-forming substances to the base. The gathering of these substances at opposite ends of the piece was believed to be responsible for the phenomenon of polarity in regeneration. While this may or may not be correct, the writer has recently found facts which suggest an additional or a different mechanism for this polarity, namely, that the apical bud suppresses the growth of the buds situated more basally in the stem by sending out inhibitory substances in a basal direction.

The experiments were made on Bryo-phyllum calycinum. Each node of the stem of this plant has two leaves in an opposite position, and in the axil of each leaf is found a dormant bud capable of giving rise to a shoot. The line connecting two buds of one node is at right angles to the line connecting the two buds of the next node.

Experiment I.—A piece of stem, containing six or more nodes, is cut out from a plant, all the leaves are removed and the piece is put into a horizontal position with the line connecting the two buds of the most apical node vertical. In this case both buds in the apical node may begin to grow, but as a rule only the upper bud will continue to grow, while the growth of the lower bud will soon stop altogether or will